

The Anarchist Library
Anti-Copyright



Recompiling the formats

Recompiling the formats

theanarchistlibrary.org

```
john-zerzan-tonality-and-totality.muse
Using Text::Amuse 0.43, Text::Amuse::Compiler 0.43, PDF::Im
Working on john-zerzan-tonality-and-totality.muse file in /
* Created john-zerzan-tonality-and-totality.html
* Created john-zerzan-tonality-and-totality.epub
* Created john-zerzan-tonality-and-totality.a4.pdf
* Created john-zerzan-tonality-and-totality.tex
* Created john-zerzan-tonality-and-totality.pdf
```

Please see muse-compile.pl -help for more information.

- Marco (marco -AT- theanarchistlibrary.org)

```
cpanminus libtemplate-tiny-perl \  
libcam-pdf-perl libpdf-api2-perl
```

Then install the needed code from CPAN:

```
# cpanm Text::Amuse::Compile
```

Full-featured installation (PDF)

To produce PDFs you need TeXlive. In theory, only a subset is needed, but here for brevity we install the full version. Ok, it's 1 gigabyte and half of download, about 3 as installed size, but nowadays disk space is cheap.¹ Keep in mind that you can still get EPUB and HTML without this.

```
# apt-get install texlive-full fonts-sil-charis
```

This will install the executable `muse-compile.pl` which by default will get you all the formats provided by the library.

```
$wget http://theanarchistlibrary.org/library/john-zerzan-to  
--2014-05-17 23:28:41-- http://theanarchistlibrary.org/lib:  
Resolving theanarchistlibrary.org (theanarchistlibrary.org)  
Connecting to theanarchistlibrary.org (theanarchistlibrary  
HTTP request sent, awaiting response... 200 OK  
Length: 49128 (48K) [text/plain]  
Saving to: 'john-zerzan-tonality-and-totality.muse'
```

```
100%[=====>] 49,128
```

```
2014-05-17 23:28:42 (107 KB/s) - 'john-zerzan-tonality-and-
```

```
$ muse-compile.pl --pdf --epub --html --a4-pdf \  
_____
```

¹ If you manage to strip down the installation to the minimum, please let me know, and I'll update the tutorial.

Contents

Introduction	5
Installation	5
Essentials	5
Full-featured installation (PDF)	6

Introduction

The texts stored on the libraries are formatted with a dialect of the Emacs Muse markup, which is described in deep details in the manual.

The files are pure plain text (with the popular and ubiquitous UTF-8 encoding), and you can edit them with any editor.

The following how-to explains how to install on your very own machine the needed code to generate the HTML, EPUB and PDF (imposed and not) formats, starting from a muse formatted plain text file. You can retrieve those files for any text on the library downloading the “plain text source” file from the list of available downloads.

Installation

The programs are written in Perl. Every GNU/Linux operating system comes with Perl installed. They are supposed to work on Mac and Windows too, but you have to find your way to get Perl installed (together with a way to install modules from CPAN, the repository of Perl code, usually the program called `App::cpanminus`, which is invoked with the command `cpanm`).

Given that Debian and Ubuntu are the most used distributions around, the following tutorial will assume that the user run one of them.

Essentials

Install `cpanm` to retrieve the modules from CPAN and the template engine. Please become root before proceeding (Ubuntu: `sudo su -`, Debian: `su -`, please note the dash, it's part of the command).

```
# apt-get install perl-modules perl-doc \
```